

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|-----------------|------------------|---------|------------------|
| L6 | 49 | Hash\$3 same (source client first local) with (id identifier indicator) with (resource cpu processor) and (second server second remote destination target) with (id identifier indicator) with (resource cpu processor) and request\$3 same (reply respon\$4) and (@ad>"20001129" @rlad>"20001129") | US-PGPUB; USPAT | OR | ON | 2006/01/09 08:26 |
| L7 | 10 | Hash\$3 same (source client first local) with (id identifier indicator) with (resource cpu processor) same (second server second remote destination target) with (id identifier indicator) with (resource cpu processor) same request\$3 same (reply respon\$4) and (@ad>"20001129" @rlad>"20001129") | US-PGPUB; USPAT | OR | ON | 2006/01/09 08:26 |
| L8 | 28 | Hash\$3 same (source client first local) with (id identifier indicator) with (resource cpu processor) and (second server second remote destination target) with (id identifier indicator) with (resource cpu processor) and request\$3 same (reply respon\$4) and (@ad<"20001129" @rlad<"20001129") | US-PGPUB; USPAT | OR | ON | 2006/01/09 08:27 |
| L9 | 11 | Hash\$3 same (source client first local) adj3 (resource cpu processor)with (id identifier indicator) and (second server second remote destination target) adj3 (resource cpu processor) with (id identifier indicator) and request\$3 same (reply respon\$4) and (@ad<"20001129" @rlad<"20001129") | US-PGPUB; USPAT | OR | ON | 2006/01/09 08:29 |
| L10 | 1 | Hash\$3 same cach\$3.ab. and (source client first local) adj3 (resource cpu processor)with (id identifier indicator) and (second server remote destination target) adj3 (resource cpu processor) with (id identifier indicator) and (@ad<"20001129" @rlad<"20001129") | US-PGPUB; USPAT | OR | ON | 2006/01/09 08:45 |

| | | | | | | |
|-----|----|--|-----------------|----|----|------------------|
| L11 | 3 | Hash\$3 with creat\$3 and cach\$3 and (source client first local) adj3 (resource cpu processor)with (id identifier indicator) and (second server remote destination target) adj3 (resource cpu processor) with (id identifier indicator) and (@ad<"20001129" @rlad<"20001129") | US-PGPUB; USPAT | OR | ON | 2006/01/09 08:50 |
| L12 | 10 | Hash\$3 near5 (generat\$3 creat\$3 eastablish\$3 issu\$3 initial\$5) and cach\$3 and (source client first local) adj3 (resource cpu processor) with (id identifier indicator) and (second server remote destination target) adj3 (resource cpu processor) with (id identifier indicator) and (@ad<"20001129" @rlad<"20001129") | US-PGPUB; USPAT | OR | ON | 2006/01/09 09:52 |
| L14 | 10 | 12 and (index\$3 structure verif\$4 compar\$5 match\$3 map\$4 key list portion table fuction) | US-PGPUB; USPAT | OR | ON | 2006/01/09 09:21 |
| L15 | 3 | 12 and (index\$3 and structure) and (verif\$4 compar\$5 match\$3 map\$4) and (key list portion table function) | US-PGPUB; USPAT | OR | ON | 2006/01/09 09:51 |
| L16 | 3 | 12 and (index\$3 and structure) and (verif\$4 compar\$5 match\$3 map\$4) and hash\$3 same (key list portion table function) | US-PGPUB; USPAT | OR | ON | 2006/01/09 09:51 |
| L17 | 6 | (index\$3 and structure) and (verif\$4 compar\$5 match\$3 map\$4) and hash\$3 same (key list portion table function) same (generat\$3 creat\$3 eastablish\$3 issu\$3 initial\$5) and cach\$3 and (source client first local) adj3 (resource cpu processor) with (id identifier indicator) and (second server remote destination target) adj3 (resource cpu processor) with (id identifier indicator) and (@ad<"20001129" @rlad<"20001129") | US-PGPUB; USPAT | OR | ON | 2006/01/09 10:03 |

| | | | | | | |
|-----|---|--|--------------------|----|----|------------------|
| L18 | 1 | (index\$3 and structure) and (verif\$4 compar\$5 match\$3 map\$4) and hash\$3 same (key list portion table function) same (generat\$3 creat\$3 eastablish\$3 issu\$3 initial\$5) same (source client first local) adj3 (resource cpu processor) with (id identifier indicator) same (second server remote destination target) adj3 (resource cpu processor) with (id identifier indicator) and (@ad<"20001129" @rlad<"20001129") | US-PGPUB; USPAT | OR | ON | 2006/01/09 10:04 |
|-----|---|--|--------------------|----|----|------------------|